
Full-size templates

Side table. US Letter, November 4, 2026.

Printing and putting them together

1. Print at 100%, or Actual size. Turn off Fit to page and Shrink oversized pages.
2. Measure the bars at the bottom of a page: 100 mm and 4". If either is off, the printer scaled the pages; print them again.
3. Pages are labelled by row and column: A1 is the top left, A2 is to its right, B1 is under it.
4. Trim each page on its dashed left and top edges, lay it over the page to its left and the one above, line up the circles and tape them.
5. Cut the part to the size listed first. Lay the template on the face it names, with the edge it names at the top, then trace the line and cut to it.

#	Part	Make	Cut size	Shape	Pages
6, 7, 8, 9	Back apron, Front apron, Left apron and Right apron	4	16-1/4" × 3"	Arch on the bottom edge, 1" rise	2: 1 row of 2, landscape




Print at 100% (Actual size), not Fit to page.
Measure both bars before you cut.

6, 7, 8, 9 Back apron, Front apron, Left apron and Right apron ×4

Red Oak, 3/4" thick. Cut each to 16-1/4" × 3" first, then to the line.
Back apron and Front apron: front face up; Left apron and Right apron: left face up; the top edge at the top of the page. Grain runs left to right.

A1
Row A, column 1



100 mm
50
4"
1
2
3

Print at 100% (Actual size), not Fit to page.
Measure both bars before you cut.

Made with Dry Fit

6, 7, 8, 9 Back apron, Front apron, Left apron and Right apron ×4


Red Oak, 3/4" thick. Cut each to 16-1/4" × 3" first, then to the line.

Back apron and Front apron: front face up; Left apron and Right apron: left face up; the top edge at the top of the page. Grain runs left to right.

Trim the dashed edge, then lay this page over A1 on the left and line up the circles.

A2

Row A, column 2



100 mm
50

4"
1
2
3

Print at 100% (Actual size), not Fit to page.
Measure both bars before you cut.

Made with Dry Fit